



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|---------------------|------------------|
| 10/591,052      | 08/28/2006  | Thomas Joseph Scal   | 12854-20446         | 6449             |

25231 7590 11/10/2009  
MARSH, FISCHMANN & BREYFOGLE LLP  
8055 East Tufts Avenue  
Suite 450  
Denver, CO 80237

EXAMINER

SLIFKA, COLIN W

ART UNIT

PAPER NUMBER

1793

MAIL DATE

DELIVERY MODE

11/10/2009

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

### Office Action Summary

**Application No.**

10/591,052

**Applicant(s)**

SEAL, THOMAS JOSEPH

**Examiner**

COLIN W. SLIFKA

**Art Unit**

1793

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 29 July 2009.  
2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.  
3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-14, 19-29, 31, 32, 34, 35, 40-46, 48 and 51-54 is/are pending in the application.  
4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.  
5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.  
6) ☒ Claim(s) 1-14, 19-29, 31, 32, 34, 35, 40-46, 48 and 51-54 is/are rejected.  
7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.  
8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.  
10) ☒ The drawing(s) filed on 28 August 2006 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
a) ☐ All b) ☐ Some \* c) ☐ None of:  
1. ☐ Certified copies of the priority documents have been received.  
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.  
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☐ Notice of References Cited (PTO-892)  
2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-848)  
3) ☐ Information Disclosure Statement(s) (PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_  
4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date \_\_\_\_\_  
5) ☐ Notice of Informal Patent Application  
6) ☐ Other: \_\_\_\_\_

***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims s 1-3, 8, 13, and 52-54 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hannifan et al (US 3,441,316) in view of Yan (US 4,346,936).

Hannifan teaches that well known methods for distributing the leach liquor to the heap usually involve spraying the leach solution over the surface of the dump or utilizing the irrigation principle by directing the solution through a series of parallel ditches cut into the surface of the dump from which the solution seeps into the body of the dump. Hannifan also teaches that these spray and drip irrigation-type systems result in undesirable effects such as ponding, channeling, erosion and sloughing, which ultimately lead to deficiencies in the leaching process due to limited distribution of the leaching solution (col. 1, lines 47-63). Hannifan uses a plurality of wells to overcome these deficiencies.

Hannifan does not teach a preliminary step of heap leaching before implementing the wells.

While Hannifan and others proactively attempt to overcome the common problems associated with spray and irrigation methods, applicant anticipates problems and attempts to remedy the situation after the fact.

It would have been obvious to one of ordinary skill in the art at the time of the invention to first use the well known methods for applying leaching solution to a heap and then drill the wells as taught by Hannifan into deficient areas of the heap in order to introduce the leaching solution throughout the heap, as opposed to the surface of the heap, which increases efficiency of extraction.

In a further aspect, Hannifan does not teach selective remedial treatment of identified portions of the heap determined from surveying to be deficient in extraction of the component.

As stated above, Hannifan teaches that pooling/ponding, channeling, etc. occurs during the 'conventional' spray and drip irrigation-type leach systems. It is assumed that these problems are known because the heaps were surveyed, visually or otherwise, by those skilled in the art over the years. From the teachings of Hannifan, it is also known that the insertion of wells into these 'problem' areas, which are un-leached or under-leached, is a practical and effective method of targeting these areas and ultimately increasing the efficiency of the leaching process.

It certainly would have been obvious to one of ordinary skill in the art at the time of the invention to selectively place wells into portions of a heap that are either un-leached or under-leached for any reason, among them pooling/ponding and channeling, in order to increase the efficiency and yield of the leaching process, because the problem of un-leached and under-leached portions of heaps is known as is the fact that wells are known to alleviate said problems.

Hannifan does not teach surveying comprising collecting data concerning properties within the heap and analyzing the data to identify portions of the heap deficient in component extraction.

Yan teaches that core samplings can be taken from already partially leached ores to calculate the proper molar ratio used for a pre-leaching treatment (col. 2, lines 58-64). Yan also teaches that after the treatment is finished, the regular leaching can be restarted (col. 3, lines 17-18).

It would have been obvious to one of ordinary skill in the art at the time of the invention to take core samplings from a partially leached heap, as taught by Yan, in order to determine the conditions of the heap in each portion and how best to treat each portion prior to subsequent leaching. It would further have been obvious to one of ordinary skill in the art at the time of the invention to use this method in any heap treatment, such as that taught by Hannifan, and to analyze the samples for any practical reasons one of ordinary skill in the art would have.

Regarding claim 2, Hannifan teaches that metals may be recovered from ore by allowing a solution to percolate through the ore, where the desired metal dissolves into and impregnates the solution (col. 1, lines 37-46).

Regarding claim 3, Hannifan clearly teaches that the leach liquor is introduced through wells that are cased with liquid-impervious pipe and perforated at the levels where the liquor is to be delivered into the heap (abstract). Hannifan also teaches that a plug may be provided in each well that serves to control the level in the well at which leach solution flows into the material of the heap (col. 3, lines 59-62).

Regarding claim 8, Hannifan does not teach hydraulic fracturing; therefore the treatment of the heap through the wells is considered done without prior hydraulic fracturing.

Regarding claims 13, and 52-54, it would have been obvious to one of ordinary skill in the art at the time of the invention to continue conventional "surface" heap leaching both during and after the treatment through the wells as considered necessary to further the extent of extraction.

Claims 4-7, 9, 19-24, 31, 32, 34, 40, 41, and 51 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hannifan et al (US 3,441,316) in view of Yan (US 4,346,936) as applied to claims 1 and 2 above, and further in view of Spedden et al (US 3,815,957).

Hannifan, as combined with Yan above, teaches the leaching of metals by introducing leaching solution via excavated wells at different levels.

Hannifan does not teach hydraulic fracturing of the heap before the well treatment.

Spedden clearly teaches hydraulic fracturing of solid mineral deposits and waste dumps in order to increase permeability so that leaching liquid can be can be injected through wells (col. 1, lines 31-53 and col. 2, lines 4-16). Spedden teaches the hydraulic fracturing as a way to make solution mining more effective (col. 1, lines 31-33), and that injection of leach solutions through wells and pipes is well known in the art (col. 1, lines 11-27).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine the hydraulic fracturing methods as disclosed by Spedden with the leaching techniques as taught by Hannifan and Yan to increase permeability and, consequently, efficiency.

Regarding claims 5 and 6, Spedden teaches that the casing of each well is perforated in the zone to be fractured (col. 2, lines 34-35). Spedden also teaches that propping agents can be pumped with the fracture fluid into the formation through the well(s) as deemed necessary (col. 2, lines 44-48) and that the cycle can be repeated several times through the same injection well or wells for additional fracturing (col. 2, lines 55-57).

Regarding claim 7, Hannifan, as shown above (claim 3), teaches the use of a plug to control the level in the well at which leach solution flows into the material of the heap. The level is controlled by raising or lowering the plug in the well (col. 3, lines 59-65).

Regarding claim 9, Hannifan teaches that metals may be recovered from ore by allowing a solution to percolate through the ore, where the desired metal dissolves into and impregnates the solution. The metal-laden solution draining from the heap is collected and treated to extract the metal (col. 1, lines 37-46).

Regarding claims 19-21, Hannifan clearly describes a method for extracting copper in a solution created by mixing water and  $\text{Fe}_2(\text{SO}_4)_3$  (col. 1, lines 37-46).

Regarding claims 22-24, Hannifan teaches that during the drilling (for the wells), when visual inspection of the cuttings indicates copper mineralization, a standard sampling of hole cuttings are made at five to ten foot intervals (col. 4, lines 23-26).

Regarding claim 31, Hannifan clearly teaches the recovery of copper from copper ore (col. 1, lines 37-40).

Regarding claim 32, Hannifan teaches that the wells may need to be substantially below the surface, with an example of 200-400 feet (col. 4, lines 53-54).

Regarding claims 34, 40, and 41, Hannifan teaches a leaching process for recovering metal values from a bed of metal-bearing materials, specifically recovering copper from copper ore (col. 1, lines 27-32).

Regarding claim 51, Hannifan teaches that the spacing of the wells may be varied between, for example, 150-foot grid spacing at one extreme and 25-foot spacing at the other extreme.

Claims 10-12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hannifan et al (US 3,441,316) and Yan (US 4,346,936) in view of Spedden et al (US 3,815,957) as applied to claims 1, 2, and 4 above, and further in view of Johnson et al (US 4,381,873).

Hannifan, as combined with Yan and Spedden above, teaches the use of hydraulic fracturing methods to aide in heap leaching processes in which leaching solution can be administered through wells.

Hannifan does not specifically teach separate steps of further leaching.

Johnson teaches a method of fracturing an ore body and subsequently leaching minerals through wells (col. 2, lines 41-47 and col. 10, lines 23-24) and actually refers to the '957 Spedden patent for additional details of hydrofracturing techniques (col. 3, lines 60-63). Johnson teaches that when the pregnant liquid leach solution is substantially reduced in the desired mineral/metal content, further mineral deposits can be leached, if desired, with water by the passage of water through the fluid annulus (col. 10, lines 11-14).

It would have been obvious to one of ordinary skill in the art at the time of the invention to use the well system as taught by Hannifan, and to further leach desired minerals/metals with a leaching solution as taught by Johnson, as necessary to further the extent of extraction.

Regarding claim 12, it would have been obvious to one of ordinary skill in the art at the time of the invention to continue conventional "surface" heap leaching during the additional treatment through the wells as taught by Johnson, as considered necessary to further the extent of extraction.

Claims 14, 35, 42, and 44-46 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hannifan et al (US 3,441,316) and Yan (US 4,346,936) in view of Spedden et al (US 3,815,957) as applied to claims 1, 2, and 4 above, and further in view of Young et al (US 6,471,743).

Hannifan, as combined with Yan and Spedden above, teaches the use of hydraulic fracturing methods to aide in heap leaching processes in which leaching

solution can be administered through wells. Hannifan teaches that the component to be extracted may be a base metal, as applied to claims 34 and 40 above.

However, neither Hannifan nor Spedden mention specific minerals or metals besides copper.

It is noted that it would have been obvious to one of ordinary skill in the art at the time of the invention to introduce any known leaching solution into the system as taught by Hannifan when combined with Spedden as discussed above, accordingly, in order to leach any desirable mineral/metal. This can be applied with regard to claims 44 and 45.

Regarding claims 14, 35, 42, and 46, Young teaches that cyanide, thiosulfate, thiourea and halides are used in leaching gold, silver, and oxides (col. 1, lines 18-20). Young also teaches methods for leaching valuable minerals, such as cobalt, nickel, copper, lead, and zinc (col. 2, lines 2-6).

It would have been obvious to one of ordinary skill in the art at the time of the invention to introduce the leaching solutions, as taught by Young, into the system as taught by Hannifan when combined with Spedden as discussed above, to leach desirable minerals/metals from corresponding ore heaps.

Claims 25-27, 29, 43, and 55-58 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hannifan et al (US 3,441,316) and Yan (US 4,346,936) in view of Spedden et al (US 3,815,957) as applied to claims 1, 2, and 4 above, and further in view of Lesty et al (US 4,756,887).

Hannifan, as combined with Yan and Spedden above, teaches the use of hydraulic fracturing methods to aide in heap leaching processes in which leaching solution can be administered through wells.

Hannifan does not teach noninvasive data collection techniques to determine properties of the heap.

Lesty clearly teaches that the permeability of the heap material can be determined by geophysical methods (col. 3, lines 14-18), such as electrical or electromagnetic methods, or by geological surveys (col. 2, lines 17-24). Drilling methods, which are taught by both Hannifan and Spedden, are considered to be geological surveys. Lesty teaches that geophysical survey methods are interchangeable with geological survey methods.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to use the electromagnetic geophysical survey method, as taught by Lesty, with the system as taught by Hannifan when combined with Spedden, as discussed above, as Lesty teaches that geophysical survey methods are interchangeable with geological survey methods.

Regarding claim 43, Hannifan teaches that the component to be extracted may be a base metal, as applied to claim 34 above.

Hannifan does not specifically teach that the material to be leached is uranium.

Lesty clearly teaches that while the method (as taught by Lesty) has been described for the treatment of uranium ores, it can be utilized for the leach of numerous other minerals in heaps (col. 5, lines 12-14).

It would have been obvious to one of ordinary skill in the art at the time of the invention to apply the leaching system as taught by Hannifan when combined with Spedden as discussed above interchangeably with heaps of copper ores as taught by Hannifan and Spedden, uranium ores as taught by Lesty, or any other desirable ores, including gold, as Lesty explicitly states that the process may be utilized for the leach of numerous other minerals in heaps.

Claim 28 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hannifan et al (US 3,441,316), Yan (US 4,346,936), Spedden et al (US 3,815,957), and Lesty et al (US 4,756,887) as applied to claims 1, 2, 4, and 25-27 above, and further in view of Milsom (*Field Geophysics 3<sup>rd</sup> Edition*).

Hannifan, as combined with Yan, Spedden, and Lesty above, teaches the use of hydraulic fracturing methods to aide in heap leaching processes in which leaching solution can be administered through wells, and the use of passive geophysical survey techniques to help in determining excavation areas for the wells.

Lesty does not specify using gravity survey techniques as the geophysical survey.

In Chapter 2, labeled "Gravity Method," Milsom teaches that differences in rock density produce small changes in the Earth's gravity field that can be measured using portable instruments known as gravity meters or gravimeters (Chapter 2 abstract, page 29).

While Milsom does not specifically teach the application of these methods to heap leaching, it would have been obvious to one of ordinary skill in the art at the time of the invention to implement "gravity surveys" in the use of passive geophysical survey techniques to help in determining excavation areas for the wells as taught by Hannifan when combined with Spedden and Lesty as discussed above.

Claim 48 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hannifan et al (US 3,441,316) and Yan (US 4,346,936) in view of Spedden et al (US 3,815,957) as applied to claims 1, 2, and 4 above, and further in view of Jones (US 5,223,024).

Hannifan, as combined with Yan and Spedden above, teaches the use of hydraulic fracturing methods to aide in heap leaching processes in which leaching solution can be administered through wells.

Hannifan does not teach the modification of pH in the heap.

Jones teaches that a high acid concentration is desirable during the leaching stage, yet undesirable during the subsequent solvent extraction stage, due to unfavorable equilibrium conditions, which are created and lead to higher equipment and working costs (col. 1, lines 60-66). Jones also teaches attaining acidic leach liquor containing dissolved copper and then reducing the acidity of the leach liquor by effecting percolation leaching of a bed of low grade copper ore with said acidic leach liquor, whereby the pH of the leach liquor is raised (col. 2, lines 12-17).

It would have been obvious to one of ordinary skill in the art at the time of the invention to use the well and hydraulic fracture methods as taught by Hannifan when combined with Spedden as discussed above with the method of modifying the pH of the leach liquor as taught by Jones in order to avoid high equipment and working cost as well as unfavorable equilibrium conditions.

### ***Response to Arguments***

Applicant's arguments filed July 29, 2009 have been fully considered but they are not persuasive. The examiner takes the position that the act of identifying problem areas such as ponding, channeling, etc., which are known to exist, and drilling wells into said problem areas, which is a known solution, is obvious in view of the art and common teachings.

Applicant argues that Hannifan teaches away from selective treatments basically because the method of Hannifan overcomes the deficiencies of traditional leaching methods, hence there would be no need to go back and remedially treat the heap. Just because Hannifan teaches a method before the heap has been leached, does not mean that the teachings are completely useless in a different scenario. Ultimately, what Hannifan teaches is excavating wells into a heap in order to overcome the above mentioned and commonly known problems with traditional leaching. While the actual invention of Hannifan deals with avoiding said problems, the teachings of Hannifan would still suggest that said well-treatments will overcome ponding and channeling. There are two situations, the first being a heap leached by conventional methods, the

second being an un-leached heap. The instant application deals with solving the problems of a leached heap after they arise, while Hannifan recognizes the problems and offers a solution to prevent the problem from ever happening. By teaching that the wells prevent the problems from occurring, Hannifan, in a way, is also suggesting that excavating the wells directly into said problem areas of a leached heap would have the same effect.

Applicant argues that based upon the teachings of Hannifan, one would not be motivated to first select conventional heap leaching and then go back and treat the problem areas via wells. While Examiner agrees that Hannifan certainly would not motivate one to undertake conventional leaching and then go back to treat the problem areas, Examiner still believes that the teachings of Hannifan would enable one of ordinary skill in the art to drill wells into said problem areas in the case that conventional leaching occurs. It is noted that the claimed method does not require that the heap is leached by conventional methods, rather it only requires the heap to have already been subjected to such treatment. In any case, the traditional methods, which are still in use, inevitably incur the known problems addressed above, in the instant application, and in the prior art. That said, the teachings of Hannifan (not necessarily the invention, but rather the fundamental teachings) would apply to such a situation, albeit a different scenario than the "ideal" un-leached formation of Hannifan. The very fact that Hannifan teaches that the administration of leachant through wells as a way to overcome ponding, for example, is motivation enough for one of ordinary skill to excavate wells into the un/under-leached portions identified by any known means.

As far as analyzing/surveying the heap, it is stated above that Hannifan and Yan teach drilling sampling holes. It should also be noted that Spedden teaches prior to extraction, the ore body should first be studied by core sampling and analyzing the obtained cores. This enables identification of fracture patterns, mineral types, permeability, moisture content, kind and extent of mineral values, and layout of various mineralized zones in the area concerned. The injection wells are then drilled into the formation based upon data (col. 2, lines 20-30). While Hannifan and Spedden do not explicitly state that the samples are used solely for the determination of un/under leached areas, it is considered that one of ordinary skill would certainly be able to tell from the collected data if the specific areas could benefit from leaching or further leaching.

In response to applicant's argument that the examiner's conclusion of obviousness is based upon improper hindsight reasoning, it must be recognized that any judgment on obviousness is in a sense necessarily a reconstruction based upon hindsight reasoning. But so long as it takes into account only knowledge which was within the level of ordinary skill at the time the claimed invention was made, and does not include knowledge gleaned only from the applicant's disclosure, such a reconstruction is proper. See *In re McLaughlin*, 443 F.2d 1392, 170 USPQ 209 (CCPA 1971).

.Regardless of the Yan reference, it was stated in the prior action and above that Examiner considers the knowledge of said problems to be a testament to the fact that the heaps were surveyed, visually or otherwise, by those skilled in the art over the

years. While Hannifan positively teaches using wells on an un-leached formation, the disclosure of Hannifan would also motivate one to excavate wells into problem areas of a leached heap. Hannifan clearly teaches that the wells overcome such deficiencies. Hannifan teaches a preemptive method which leads to the same final product. In essence, Hannifan is placing the wells into the problem areas before they exist. Hannifan teaches a remedial treatment to problems that are known to have been identified in heaps. In a way, the invention of Hannifan actually is treating those portions, and the drilling of wells is already "selective."

Both Jones and Young teach general leaching problems/techniques concerning the ore or the leachant, and have been relied upon as such in the above rejection. For example, Young teaches different solutions used to leach various metals/minerals. The fact that Young might not disclose the use of wells to administer the liquor in no way would discourage one from doing so. The teachings of Hannifan were concerned with copper, but that does not mean the same or similar methods could not be applied for mining gold.

Regarding claims 25-29, Hannifan teaches known deficiencies with traditional heap leaching. Clearly, if one of ordinary skill were to re-leach a heap knowing full well that such problems occur, they would be motivated to survey the heap by any cost-effective and known means, such as those described by Lesty and Milsom. While Milsom does not teach the gravity survey method to be used in heap leaching, Milsom still teaches a means to measure differences in density, which would be advantageous for one who is analyzing a heap.

***Conclusion***

**THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to COLIN W. SLIFKA whose telephone number is (571)270-5830. The examiner can normally be reached on Monday-Thursday, 10:00AM-4:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Melvin Curtis Mayes can be reached on 571-272-1234. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/COLIN W SLIFKA/  
Examiner, Art Unit 1793

November 9, 2009

/Melvin Curtis Mayes/  
Supervisory Patent Examiner, Art Unit 1793